

Email: marketing@douyee.com.sg Website: www.douyee.com

## **Product Data Sheet**

## PRODUCT CODE / PART NUMBER: DY6008-HS-003C-35M-PU/PU-S1P SRC-SIZE



BRAND NAME: EUROSTAT®

## **FEATURES:**

This safety shoe is made of Black Spilt Barton Leather upper, Mesh Lining, Composite Toe Cap, Composite Midplate, EUROSTAT® PU Insoles, PU Midsole and PU Outsole.

**PRODUCT:** Static Dissipative Safety Shoes, Black


- 200J Impact Resistance
- 15KN Compression Resistance
- 1100N Penetration Resistance
- **Excellent Comfort**
- Non-Marking Outsole
- Slip Resistant Outsole (SRC)
- Resistant to Oil and Most Chemicals





## **Specifications**

Item	Properties / Typical Values	Test Method
Materials	Upper : Black Spilt Barton Leather	
	Toe Cap : Composite	
	Insole : EUROSTAT® PU	
	Midplate : Composite	
	Midsole : Static Dissipative PU	
	Outsole : Static Dissipative PU	
Footwear only Resistance	$< 1.0 \times 10^9 \text{ ohms}$	ANSI/ESD STM9.1
Footwear System Resistance	$< 3.5 \times 10^7 \text{ ohms}$	ANSI/ESD STM9.1
Electrical System Resistance of a person wearing footwear while standing on conductive flooring	$< 3.5 \times 10^7 \text{ ohms}$	ANSI/ESD STM97.1
Color	Upper : Black	
	Sole : Grey	
Sizes (European)	37, 38, 39, 40, 41, 42, 43, 44, 45, 46 & 47	
Conformity	<ol> <li>The safety footwear detailed herein meets the criteria of an EC Type Examination in accordance with Article 10 of the PPE Directive (89/686/EEC) including amendments and corrigendum up to 14/12/2010 for intermediate design category products. This has been shown through satisfactory testing to EN ISO 20345:2011 and examination of the Technical File Documentation (Category: S1P SRC)</li> <li>SNI 7079-2009 (NPB 104-116-170603)</li> <li>CNS 20345: 2015 (R3B081)</li> </ol>	



The values shown above were developed from random samples taken from production material. To the best of our knowledge, we believe them to be typical for the product. However actual values may vary somewhat from those depicted here and Dou Yee Enterprises makes no warranty, expressed or implied, as to the suitability of these materials for any specific use. Customers should determine product suitability based upon their own internal criteria.

Date: 2020 / 2021