

# Product Data Sheet

**PRODUCT CODE / PART NUMBER: DY6008-HS-002-NBR-S1P HRO SRC-SIZE** 

**PRODUCT:** Safety Shoes, Black

**BRAND NAME:** **EUROSTAT®**

**FEATURES:**




This safety shoe is made of Black Split Barton Leather upper, K308 Dacron High Density Mesh Lining, Nitrile Rubber (NBR) Outsole, Steel Toe Cap and Composite Midplate.

- 200J Impact Resistance
- 15KN Compression Resistance
- 1100N Penetration Resistance
- Excellent Comfort
- Excellent Slip Resistance
- Resistant to Oil and Most Chemicals
- Non-Marking Heat Resistant (300°C) Outsole



**Specifications**

Item	Properties / Typical Values	Test Method
Materials	Upper : Black Split Barton Leather Toe Cap : Steel Midplate : Composite Outsole : Nitrile Rubber (NBR)	
Footwear only Resistance	< 1.0 × 10 <sup>9</sup> ohms	ANSI/ESD STM9.1
Footwear System Resistance	< 1.0 × 10 <sup>9</sup> ohms	ANSI/ESD STM9.1
Electrical System Resistance of a person wearing footwear while standing on conductive flooring	< 1.0 × 10 <sup>9</sup> ohms	ANSI/ESD STM97.1
Color	Upper : Black Outsole : Black	
Sizes (European)	240, 245, 250, 255, 260, 265, 270, 275, 280, 285, 290 and 300mm	
Conformity	1. The safety footwear detailed herein meets the criteria of an EC Type Examination in accordance with Article Annex V of the PPE Regulation EU 2016/425 for Category II products. This has been shown through satisfactory testing to EN ISO 20345:2011 and examination of the Technical File Documentation (Category: SBP SRC HRO) 2. SNI 7079-2009 (NPB 104-116-170603) 3. CNS 20345: 2015 (R3B081)	

RUBBER OUTSOLE	COMPOSITE MIDPLATE	STEEL TOE CAP (#604)
		

Size (mm)	240	245	250	255	260	265	270	275	280	285	290	300
Average weight per pair (g)	1140	1180	1260	1300	1320	1360	1380	1460	1520	1580	1640	1720