

Email: marketing@douyee.com.sg Website: www.douyee.com

Product Data Sheet

PRODUCT CODE / PART NUMBER: DY6002-SH-09P-SD-35MOHMS-MW-SIZE



PRODUCT: Static Dissipative Safety Shoes, White

BRAND NAME: **EUROSTAT**®

FEATURES:

This safety shoe is made of Microfiber PU upper, Mesh Lining, Steel Toe Cap, Silver Fibre PU Insole and PU Outsole

- 200J Impact Resistance
- 15KN Compression Resistance
- Excellent Electrical Properties
- Non-Marking, Non-Slip Sole
- Anti-Fatigue, Anti-Odour PU Removable Insole
- RTG $< 35M\Omega$
- Resistant to Oil and Most Chemicals





Specifications

Item	Properties / Typical Values	Test Method
Materials	Upper : Microfiber PU	
	Outsole : Static Dissipative PU	
Footwear only Resistance	$< 1.0 \times 10^9 \text{ ohms}$	ANSI/ESD STM9.1
Footwear System Resistance	$< 3.5 \times 10^7 \text{ ohms}$	ANSI/ESD STM9.1
Electrical System Resistance of a person wearing footwear while standing on conductive flooring	$< 3.5 \times 10^7 \text{ ohms}$	ANSI/ESD STM97.1
Color	Upper : White Outsole : White	
Sizes (European)	220, 225, 230, 235, 240, 245, 250, 255, 260, 265, 270, 275, 280, 290 and 300mm	
Conformity	The safety footwear detailed above meets the criteria of an EC Type Examination in accordance with Article 10 of the PPE Directive (89/686/EEC) for intermediate design category products. This has been shown through satisfactory testing to EN ISO 20345:2004 and examination of the technical documentation (Category: S1)	

PU OUTSOLE (#004)	STEEL TOE CAP (#459)	

The values shown above were developed from random samples taken from production material. To the best of our knowledge, we believe them to be typical for the product. However actual values may vary somewhat from those depicted here and Dou Yee Enterprises makes no warranty, expressed or implied, as to the suitability of these materials for any specific use. Customers should determine product suitability based upon their own internal criteria.

Date: 2016 / 2017